

**Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (original) A method for diagnosing spontaneous abortion, comprising providing contact between a sample of body fluid and an antigen capable of binding to an antibody to platelet activating factor (PAF), and assessing the presence and/or concentration of antibodies to PAF and/of of antibodies to an antigen capable of binding to antibodies to PAF in the sample of body fluid.

2. (original) The method of claim 1 comprising measuring the presence and/or concentration of antibodies to PAF and/or of antibodies to an antigen capable of binding to antibodies to PAF by immunoassay.

3. (original) The method of claim 1 comprising measuring the presence and/or concentration of antibodies to PAF and/or of antibodies to an antigen capable of binding to antibodies to PAF by an enzyme linked immunosorbent assay.

4. (original) The method of claim 1 comprising measuring the presence and/or concentration of antibodies to

PAF and/or of antibodies to an antigen capable of binding to antibodies to PAF by radioimmunoassay.

5. (original) The method of claim 1 comprising measuring the presence and/or concentration of antibodies to PAF and/or of antibodies to an antigen capable of binding to antibodies to PAF in serum prepared from a blood sample.

6. (original) The method of claim 1 comprising measuring the presence and/or concentration of antibodies to PAF and/or of antibodies to an antigen capable of binding to antibodies to PAF in plasma prepared from a blood sample.

7. (original) The method of claim 1 wherein said sample of body fluid is a human blood sample or fraction thereof, and the measuring of antibodies to PAF and/or of antibodies capable of binding to antibodies to PAF is by immunoassay.

8. (original) The method of claim 1 wherein said antigen capable of binding to antibodies to PAF is phosphocholine.

9. (original) The method of claim 1 wherein said antigen capable of binding to antibodies to PAF is phosphorylcholine.

10. (original) The method of claim 1 wherein said antigen capable of binding to antibodies to PAF is phosphatidylcholine.

11. (original) The method of claim 1 wherein said antigen capable of binding to antibodies to PAF is lysophosphatidylcholine.

12-23. (Canceled).